

TRUEMET LAY-IN

Built Above Standard



TRUEMET LAY-IN

Modular grid-compatible tiles (plain & perforated)

Perforated or Plain, durable, lightweight, easy-to-install ceiling tiles that require minimal maintenance and resistant to corrosion

- These tiles are durable, lightweight, and resistant to corrosion with superior finish
- Simple lay-in panels provide easy access to enclosed plenum
- Provide monolithic look to the modular ceiling
- Suitable to install with standard grid options

BENEFITS

- Contemporary appearance
- Cost effective
- Standard grid systems, Simple accessibility
- Available with 15mm & 24mm grid visual
- Simple accessibility to plenum
- Good acoustical performance

APPLICATION AREAS

- Office
- Healthcare
- Education
- Transport
- Retail
- Foyers
- Corridors



TRUEMET LAY-IN

COLOUR SELECTION



True White



Wood Grain
Colours*



RAL
Co-ordinated*

*Available upon request

*Minimum Order Quantity (MOQ) required for RAL Co-ordinated colours and Wood Grain finish.

*For more information on colour options, perforation patterns, and finishes, please contact your Trueceil sales representative.

PRODUCT SELECTION



Noise Reduction
Coefficient (NRC)



Light Reflectance
(LR)



Humidity
Resistance (RH)



Demountability



Easy Installation



5 Year Limited
Warranty

TEGULAR / MICRO TEGULAR T24 / T15	Plain	Standard Perforated	Micro Perforated
 TRUEGRID Classic 24 mm Grid TRUEGRID Edge/Shadow 15 mm Grid	 No Perforation	 2.5 mm dia. holes 16% Open area Square Pitch	 1.8 mm dia. holes 18% Open area Square Pitch
GALVANISED IRON 600 x 600 x 0.5mm 600 x 1200 x 0.5mm	✓✓	✓✓	✓✓
ALUMINIUM 600 x 600 x 0.7mm 600 x 1200 x 0.7mm	✓✓	✓✓	✓✓


TECHNICAL SPECIFICATIONS

Description	Unit	Specification
Material	NA	GI (Galvanised Iron) , Aluminium
Surface Coating	NA	Powder Coated
Dimensions	mm	595 x 595
Thickness	mm	0.50, 0.70
Edge	NA	Tegular, Micro Tegular
Perforation Diameter	mm	Plain, 1.8, 2.5
Colours	NA	True White, RAL Co-ordinated Colours, Wood Grain
NRC	NA	0.5

SYSTEM COMPONENTS

- TRUEMET Lay-In Metal Panels (Tegular / Micro Tegular)
- TRUEGRID (Classic / Edge / Shadow) Main Runner
- TRUEGRID (Classic / Edge / Shadow) Cross Tees 1200mm
- TRUEGRID (Classic / Edge / Shadow) Cross Tees 600mm
- TRUEGRID Wall Angle
- Suspension Accessories
- Optional Acoustic Fleece

ASSEMBLY & INSTALLATION





Contact Us

Corporate Office

Trueceil India
5A/B, Wing A, Statesman Building,
Barakhamba, New Delhi, India. 110001

Phone: +91 96330 61205, 9074422972
Email: helpdesk@trueceil.in

Marketed & Distributed By

Trans Enterprises
37/3634 A, Amala Centre, Railway Station Road,
Edappally, Ernakulam, Kerala, India. 682024

Phone: +91 96337 63874
Email: sales@trueceil.in

